

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: Nonresponsive based on revised scope [t@tetrattech.com]; Nonresponsive based on revised scope [t@tetrattech.com]; Nonresponsive based on revised scope [n@epa.gov]; Nonresponsive based on revised scope [n@epa.gov]; Fortune, Warren[Fortune.Warren@epa.gov]; Nonresponsive based on revised scope [n@epa.gov]; Nonresponsive based on revised scope [n@epa.gov]; Nonresponsive based on revised scope [n@epa.gov]

From: Graybill, Eric[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=238869E695624C61A14E104B9732E043-GRAYBILL, ERIC]

Sent: Mon 6/21/2021 6:02:55 PM (UTC)

Subject: 49450 - Validated Electronic Data for Shiloh Church Road

[49450 C0CG6 SSR.pdf](#)

[EQulS 1 49450 C0CG6 VAL.xls](#)

[EQulS 2 49450 C0CG6 VAL.xls](#)

[EQulS 3 49450 C0CG6 VAL.xls](#)

[EQulS 49450 C0CG6 VAL.xls](#)

[49450 C0CG6 DVR.pdf](#)

[49450 C0CG6 LTR.pdf](#)

Hi Christine,

Attached to this message you will find electronic files containing the validation report and validated data for the Shiloh Church Road site, Case # 49450, SDG C0CG6.

The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

You contact Eric Graybill by phone at 410-305-2665 or e-mail at Graybill.Eric@epa.gov if additional assistance is needed.

TO # 68HE0321F0053

TDF # 0621019

Thanks

Eric